


Dewey II 63A 3-Phase Distro

Posted on February 18, 2025



DEWEY II


Dewey II 63A 3-Phase Distro

APPLICATION:

High quality scalable power distribution for the Professional Audio Visual, Rental, Staging and Installation Markets.

KEY FEATURES:

- High Quality Rack Mount Enclosure
- Durable Laser Engraved Legend
- High Quality Circuit Breakers
- Rugged Connectors
- Integrated 3-Phase Digital Multimeter
- Microprocessor Controlled L1-L2-L3-N-E Status LED
- Designed to be used with our range of Socapex Sub-Distribution boards
- Service power outlets on dedicated Earth
- Leakage (Independent of main system)



EARTH LEAKAGE VERSION

DEWEY II

OPTIONS:

- Earth Leakage
- 30mA Earth leakage protection



No Earth leakage protection **
4 additional paralleled 19-Pin Socapex Outlets
Remote monitoring option ***
Stainless steel enclosure option for corrosive environments

SPECIFICATIONS:

Inputs


1 x 63A 380V 3-Phase L1-L2-L3+N+E
1 x 5-Pin 63A C-form plug on 1.5m cable
1 x 4-Pole 63A Overload Breaker

Outputs

4 x 19-Pin Socapex Outlets with 24 Independent Circuits
- Each outlet wired to 6-ch Lighting Standard
- 24 x 16A 1-Pole Overload Breaker

Service Outlets


30mA Earth Leakage Protected Service Sub-Distribution Board
3 x 16A SA Service Plug *
3 x 16A 1-Pole Overload Breaker



NON - EARTH LEAKAGE VERSION

DEWEY II

- * Available with BS Standard / Euro Standard Outlet
- ** Please consult local electrical regulations for approvals
- *** Requires separate network management unit (sold separately)



REAR VIEW
(8XSOCAPEX VERSION SHOWN)

DEWEY II

DIMENSIONS:

19" Rack Standard

6u Rack Space

436.4mm Mounting depth

See all [Power Distribution Systems](#) here!