

Louie II 63A 3-Phase Distro

Posted on February 26, 2025



LOUIE II


Louie II 63A 3-Phase Distro

APPLICATION:

High quality scalable power distribution for the Professional Audio Visual, Rental, Staging and Installation Markets.

KEY FEATURES:

- High Quality Rack Mount Enclosure
- Durable Laser Engraved Legend
- High Quality Circuit Breakers
- Rugged Connectors
- Integrated 3-Phase Digital Multimeter
- Microprocessor Controlled L1-L2-L3-N-E Status LED
- Designed to be used as a stand-alone distribution board
- Service power outlets on Main Earth Leakage
(Shared with main system)



ONLY AVAILABLE WITH EARTH LEAKAGE

LOUIE II

OPTIONS:

- Remote monitoring option **
- Stainless steel enclosure option for corrosive environments

SPECIFICATIONS:

Inputs


- 1 x 63A 380V 3-Phase L1-L2-L3+N+E
- 1 x 5-Pin 63A C-form plug on 1.5m cable
- 1 x 4-Pole 63A Overload Breaker
- 30mA Earth Leakage Protection

Outputs

- 12 x 16A 1-Phase L+N+E Circuits
- 12 x 16A SA Plug *
- 12 x 16A 1-Pole Overload Breaker

Service Outlets

- Service Sub-Distribution Board
- 3 x 16A SA Service Plug *
- 3 x 16A 1-Pole Overload Breaker



REAR VIEW

LOUIE II



DIMENSIONS:

19" Rack Standard

6u Rack Space

436.4mm Mounting depth

* Available with BS Standard / Euro Standard Outlet

** Requires separate network management unit (sold separately)

See all [Power Distribution Systems](#) here!