Unilumin UMini P. The Picture Quality is Just the Beginning

Posted on November 23, 2026



Impressive Visual Experience

•P0.9/P1.2/P1.5/P1.8

Copyright © DWR Distribution

•Area Light source, comfortable viewing experience for long periods of time

•160° wide viewing Angle

•Less moirés for Shooting

Comfortable viewing experience

Area Light source, comfortable viewing experience for long periods of time

• 160° wide viewing Angle

• Less moirés for Shooting



Super black level, high color consistency

The black area of a single pixel reach to 98%, Super black module color can make deep black visual performance

Copyright © DWR Distribution



Energy Saving

UMini P adopts RGB fully flip-chip with larger light-emitting area and lower power consumption.

With low carbon emissions, promoting sustainable development from product design. Energy saving by around 40% than conventional LED displays（P1.2mm）

Copyright © DWR Distribution



The temperature in front of the screen is only around 40°C

(600nit, white screen, environment temperature 25℃)

Copyright © DWR Distribution



High Stability

Copyright © DWR Distribution



Highly Integrated 3-in-1 Design

High Integration for power supply, receiving card and HUB card

High Efficient signal transmission

Copyright © DWR Distribution



High-precision Installation

XYZ adjustment from 6 directions?Double mounting plate design

Better flatness performance

Copyright © DWR Distribution



Why UMini P?

Copyright © DWR Distribution

Unilumin UMini P. The Picture Quality is Just the Beginning



Copyright © DWR Distribution