


L-Acoustics K, A and X Series Cover all Kinds of Content at Scène de Bayssan



The Claude Nougaro amphitheatre has a flexible L-Acoustics system comprising Kara II, SB18, KS28 subs, A10 Wide, X15HiQ, X12, X8, SB18m and 108P powered by LA4X amplified controllers.

Bayssan, France – July 2022 – Opened in spring 2021, the Scène de Bayssan sits on a site near Béziers in south-west France which has a rich history going back 5,000 years over successive Greek, Roman and Gallic societies. More recently, the area hosted a circus, a fact that's reflected in the Scène's architecture. The new theatre complex features three spaces; the open-air Claude Nougaro amphitheatre which can accommodate 965 people seated or 1462 standing, the 432-seated / 1350 standing Michel Galabru theatre, and a small structure that houses reception facilities. Offering a varied programme of performing art, art exhibits and cultural events, Scène de Bayssan required an ultimately versatile sound system that could handily address the varied program. The team chose L-Acoustics K, A and X Series, supplied by L-Acoustics partner, Du Show, to deliver both consistent audience coverage and tonal balance.

Whilst Scène de Bayssan is a permanent venue, its loudspeaker system needed to be mobile, as it would be used only during the summer months in the Nougaro amphitheatre, year-round in the Galabru theatre, as well as in other venues as required.




A typical system configuration for the Claude Nougaro amphitheatre includes left / right hangs of L-Acoustics SB18 atop Kara II each, with a central hang of three KS28 subs in cardioid configuration. A10 Wide are positioned centrally below the KS28, as a delay for the upper levels of seating and as in-fill.

“For this reason a touring system, rather than a fixed installation, was the most logical solution. It allows for the Scène to account for both the structure of each space and also the venue’s diverse programme, which includes classical, pop and jazz concerts, electro music and theatre productions,” explains Arnaud Delorme, Senior Application Project Engineer at L-Acoustics. “We specified the system alongside Scène de Bayssan’s team and they adapted the design to take into account their specific objectives and constraints, and integrated it themselves.”

The main system for the site includes 16 Kara II cabinets, with six SB18 and four KS28 subs, controlled by an LA12X and seven LA4X amplified controllers. An L-Acoustics P1 processor is used for AVB and as a measurement platform. The main system is complemented by four A10 Wide as fills, and a central A10 Wide. A versatile kit of 12 X15HiQ, 14 X12, 20 X8, two SB18m, four 108P and a further 13 LA4X complements the FOH system.

The typical system configuration for the Claude Nougaro amphitheatre includes left / right hangs of three SB18 atop eight Kara II each, with a central hang of three KS28 subs in cardioid configuration.

“KS28 delivers the extreme low end of the system, while SB18s are used to add contour and impact to the Kara II, each of them fulfilling its own role,” explains Scène de Bayssan’s sound and video manager, Alexandre Pastor. “In addition, we use A10 Wide as a central point below the KS28, as a delay for the upper levels of seating and as in-fill. For front-fill, we place X8 across the stage lip. We install the system in the amphitheatre in late spring and then move it to the Galabru theatre in late summer.”



Close up of the amphitheatre's central L-Acoustics KS28 and A10 Wide.

The Galabru theatre accommodates its audience on partially retractable tiers of red upholstered seats. Its deep, staggered stage area is flanked by storage rooms, offices and dressing rooms. Here, the team uses a fixed coaxial system.

"The installation here allows us to meet the requirements of most performances," says Pastor. A typical system comprises three X12 clusters in LCR position with two end-fired SB18 subs. In-fill is catered for by two X12 positioned left and right, and four X8 are used for front-fill. "We also use four X8 mounted on the truss for delay and two X8 are used for monitoring in the control room," he adds.

The P1 processor plays a crucial role in the entire ecosystem, as it allows the team to convert different signal formats to AVB and then send the signal digitally to the amps. Pastor notes that P1 helps process the sound system more precisely, and it also has an important role when hosting several FOH consoles in the control room. "P1's different inputs and its routing allows us to switch immediately from one console to the other without interruption when different artists follow one another," he says.



Close up of an L-Acoustics Kara II / SB18 hang in the Claude Nougaro amphitheatre.

Once the system was fully integrated, L-Acoustics provided comprehensive training to Scène de Bayssan's technical team, enabling them to be fully autonomous from design to rigging and system measurement for any given event.

"Throughout my career as a sound manager, I have had the pleasure of working with different loudspeaker manufacturer brands," smiles Pastor. "I've always had a preference for L-Acoustics and the Kara II system in particular, I know there won't be any objections from a production company, an artist or a band, as the system is rider friendly and renowned for its great acoustic performance."



L-Acoustics X8 are mounted on the truss for delay in The Galabru theatre.

"My technical philosophy has always been to only invest in equipment that is fully scalable and future proof. I am very happy that we invested in this system; it's good to work with on a daily basis, the speed of implementation makes it efficient, and we've had very positive feedback from the public on the sound quality of the performances. If I had to make this choice again for a future project, I would not hesitate."

Photos courtesy of Scène de Bayssans